



Glimm 3DHolobox HC 10 specifications




Brightness	1000cd/m ²
Viewing angle	+150°~-150°(H), +150°~-150°(V)
Resolution	1024X768
Contrast ratio	600:1
Pixel Pitch	0.294(H) x 0.294(V)
Active screen diagonal	10.4" (266 mm)
Active screen area	210.4 x 157.8 mm (8.2" x 6.1")
Internal storage	40 GB HDD
Power consumption	28.6W
Cooling	Fans for optimized cooling
Dimensions	300 x 250 x 300 mm (11.7" x 9.8" x 11.7")
Weight	10kg (22 lbs)
Video content	MPEG-1, MPEG-2 MP @ ML up to 14 Mbps
Audio	Optional
Protective glass	With reflection-reducing layer
Power supply	90-240 V AC, 50-60 Hz
Operating conditions	0 – 40°C 32 – 104°F at max. 80% humidity
OSD Menu	Brightness, contrast, H/Vposition, color, phase
Control Button	Power Switch
Content uploading	USB port
Viewing angle Hologram	adjustable

MATT COLOUR



Black 9005

Material housing: Synthetic
Material optics: Glass



Address:
Rouaanstraat 7
Groningen
The Netherlands
9723 CA

E-mail: info@24-7mediatechnology.com
Telephone: +31 (0)50 360081
<http://www.24-7mediatechnology.com>





Glimm 3DHolobox HC 15 specifications

Brightness	1600cd/m ²
Viewing angle	+70°~-70°(H), +65°~-60°(V)
Resolution	1024X768
Contrast ratio	700:1
Pixel Pitch	0.297(H) x 0.297(V)
Active screen diagonal	15" (381 mm)
Active screen area	304.1 x 228.1 mm (11.97" x 8.98")
Internal storage	40 GB HDD
Power consumption	62W
Cooling	Fans for optimized cooling
Dimensions	440 x 440 x 440 mm (17" x 17" x 17")
Weight	25kg (55.12 lbs)
Video content	MPEG-1, MPEG-2 MP @ ML up to 14 Mbps
Audio content	Optional
Protective glass	With reflection-reducing layer
Power supply	90-240 V AC, 50-60 Hz
Operating conditions	0 – 40°C 32 – 104°F at max. 80% humidity
OSD Menu	Brightness, contrast, H/Vposition, color, phase
Control Button	Power Switch
Content uploading	USB port
Floorstand	440 x 1230 x 440 mm (17" x 48" x 17")

MATT COLOURS

-  Black 9005
-  White 9016

Material housing: Synthetic
Material optics: Glass



Address:
Rouaanstraat 7
Groningen
The Netherlands
9723 CA

E-mail: info@24-7mediatechnology.com
Telephone: +31 (0)50 360081
http://www.24-7mediatechnology.com



Glimm 3DHolobox HC 19 specifications


Brightness	1000cd/m ²
Viewing angle	+80°~-80°(H), +80°~-80°(V)
Resolution	1024X768
Contrast ratio	800:1
Pixel Pitch	0.294(H) x 0.294(V)
Active screen diagonal	19" (486 mm)
Active screen area	376.3 x 301.1 mm (14.69" x 11.76")
Internal storage	40 GB HDD
Power consumption	74W
Cooling	Fans for optimized cooling
Dimensions	520 x 520 x 525 mm (20" x 20" x 20.5")
Weight	25kg (55.12 lbs)
Video content	MPEG-1, MPEG-2 MP @ ML up to 14 Mbps
Audio	2.5 Watts speaker with volume knob
Protective glass	With reflection-reducing layer
Power supply	90-240 V AC, 50-60 Hz
Operating conditions	0 – 40°C 32 – 104°F at max. 80% humidity
OSD Menu	Brightness, contrast, H/Vposition, color, phase
Control Button	Power Switch
Content uploading	USB port
Floorstand	520 x 1230 x 525 mm (20" x 48" x 20.5")

MATT COLOURS

 Black 9005

 White 9016

Material housing: Synthetic
Material optics: Glass





Address:
Rouaanstraat 7
Groningen
The Netherlands
9723 CA

E-mail: info@24-7mediatechnology.com
Telephone: +31 (0)50 360081
<http://www.24-7mediatechnology.com>



Glimm 3DHolobox 19AL specifications

Brightness	1000cd/m ²
Viewing angle	+80°~-80°(H), +80°~-80°(V)
Resolution	1024X768
Contrast ratio	800:1
Pixel Pitch	0.294(H) x 0.294(V)
Active screen diagonal	19" (486 mm)
Active screen area	376.3 x 301.1 mm (14.69" x 11.76")
Internal storage	40 GB HDD
Power consumption	74W
Cooling	Fans for optimized cooling
Dimensions	520 x 520 x 525 mm (20" x 20" x 20.5")
Weight	60kg (132 lbs)
Video content	MPEG-1, MPEG-2 MP @ ML up to 14 Mbps
Audio	Optional
Protective glass	With reflection-reducing layer
Power supply	90-240 V AC, 50-60 Hz
Operating conditions	0 – 40°C 32 – 104°F at max. 80% humidity
OSD Menu	Brightness, contrast, H/Vposition, color, phase
Control Button	Power Switch
Content uploading	USB port
Floorstand	520 x 1230 x 525 mm (20" x 48" x 20.5")



- MATT COLOURS**
-  Anodized Black
 -  White 9016
- Material housing: Aluminium
Material optics: Glass



Address:
Rouaanstraat 7
Groningen
The Netherlands
9723 CA

E-mail: info@24-7mediatechnology.com
Telephone: +31 (0)50 360081
http://www.24-7mediatechnology.com